



EXHIBIT C



OFFICE OF CHIEF MEDICAL EXAMINER
520 First Avenue, New York, New York 10016

DEPARTMENT OF FORENSIC BIOLOGY
421 East 26th Street, New York, New York 10016
Mechthild Prinz, PhD, Director
Telephone: 212.323.1200 Fax: 212.323.1590
Email: dnalab@ocme.nyc.gov
Official Website: <http://www.nyc.gov/ocme>



DATE: February 10, 2011

LABORATORY REPORT

ENTITY: PSNY

COMPLAINT NO: 2011-075-00270

SUSPECT: Maynor Estrada

LAB NO: FB11-00191

START DATE: 01/11/11

ARREST NO: K11601757

RESULTS AND CONCLUSIONS:

Human DNA sufficient for PCR DNA testing was found on the following sample:

- swabs of "22 S&W revolver serial #N42618"

PCR DNA testing was done, and there are results suitable for comparison.

Comparison could be done upon submission of a sample from a suspect and/or elimination sample. Comparison will require approximately 30 days.

Further testing could be done upon submission of additional evidence. Further analysis will require approximately 60 days.


PCR DNA typing using the AmpF[®]STR[®] Identifier[®] PCR Amplification Kit was done on the sample listed below. A mixture of DNA from at least 3 people was found.

- swabs of "22 S&W revolver serial #N42618"

The DNA profiles of the individual contributors to the mixture could not be determined; however the results are suitable for comparison.



OFFICE OF CHIEF MEDICAL EXAMINER
520 First Avenue, New York, New York 10016



DEPARTMENT OF FORENSIC BIOLOGY
421 East 26th Street, New York, New York 10016
Mechthild Prinz, PhD, Director
Telephone: 212.323.1200 Fax: 212.323.1590
Email: dnalab@ocme.nyc.gov
Official Website: <http://www.nyc.gov/ocme>

DATE: September 15, 2011

LABORATORY REPORT

SUSPECT: Maynor Estrada

LAB NO: FB11-S1083

COMPLAINT NO: 2011-075-00270

ARREST NO: K11601757 **START DATE:** 08/18/11

RESULTS AND CONCLUSIONS:

PCR DNA typing using the AmpF ℓ STR $^{\circledR}$ Identifier $^{\circledR}$ PCR Amplification Kit was done on the oral swab from Maynor Estrada. A DNA profile was determined.

This profile was compared to the results in the following case:

FB number	Complaint Number	Victim Name	Report date
FB11-00191	2011-075-00270	PSNY	February 10, 2011

Maynor Estrada is excluded as a contributor to the sample listed below.

- swabs of "22 S&W revolver serial #N42618"

The DNA profile of Maynor Estrada does not match any PCR (STR) DNA profiles in the local OCME database to date.

The DNA profile above is suitable for entry into the OCME local DNA databank.